CLASSIFICATION

CONFIDENTIAL CONFIDENTIAL

CENTRAL INTELLIGENCE AGENCY

INFORMATION FROM

CO NO. FOREIGN DOCUMENTS OR RADIO BROADCASTS

COUNTRY

INFORMATION 1949

Nuclear physics SUBJECT

DATE DIST. 7 Nov 1949

PUBLISHED Monthly periodical

PUBLISHED Moscox

NO. OF PAGES

DATE

PUBLISHED Aug 1949

SUPPLEMENT

REPORT NO.

LANGUAGE Russian

THIS IS UNEVALUATED INFORMATION

SOURCE

STATE

Uspekhi Fizicheskikh Nauk, Vol XXXVIII, No 4, 1949. (Information

REVIEW OF "THE ATOMIC NUCLEUS"

D. Ivanenko

M. I. Korsunskiy's book, The Atomic Nucleus ("Gostekhizdet," 308 pp); is a popular promatation of nuclear physics aimed at a wide circle of readers, from upper-class students to natural science students and technicians. author is a specialist who has conducted research on energy losses of highenergy electrons. In addition to besic information on radioactivity (Chapter I), atomic models (Chapter II), fundamental properties of nuclei (Chapters III and I), more important nuclear transformations (Chapter IV), fission (Chapter II), and swtificial radioactivity (Chapter VII), the book also includes more complex problems relating to isomerism (discovered by Kurchatov and Mysovskiy) (Chapter VII), the circumstances in the discovery of mesons (Chapter VIII), proof of the neutron-proton model of the nucleus (Chapter X), and secondary neutrons in fission (Chapter XI). An entire chapter (Chapter IX) is devoted to the problem of beta-decay and the neutrinc. A paragraph is given to the discussion of radioactive indicators (Chapter VJI).

Recent research is also included, e.g., the discovery of heavy mesons (varitrons) with a mass spectrum exceeding the "standard" mass (200 electron masses), and the discovery of transformations between different types of mosons. Accelerators of the synchrotron and phasotron type, suggested by Soviet physicist V. I. Veksler, are described briefly. Although it is difficult to keep up with the pace of contemporary nuclear physics, the reviewer feels that a book of this type should also discuss, for example, recent experiments leading to the discovery of fission of nonradicactive nuclei platinum, thallium, tantalum, and others) under bombardment by alpha-particles, deuterons, and protons accelerated to energies of 200 - 400 Mev, and could even include information on the discovery of the non-kinematic magnetic moment of an electron which supplements the Bohr magneton

Mcl=M. (1+ 2) in = ch in = 27/2 = 137.

CONFIDENTIAL CONFIDENTIAL CLASSIFICATION NSRB DISTRIBUTION X

Sanitized Copy Approved for Release 2011/07/08: CIA-RDP80-00809A000600260617-8

50X1-HUM